

IF

Docket No.: YHK-0108

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Byung Soo SONG

Serial No: 10/612,880

Filed: 7/7/2003



Confirmation No.: 6996

Group Art Unit: 2821

Examiner: Thuy V. Tran

Customer No.: 34610

For: METHOD AND APPARATUS OF PROCESSING VIDEO SIGNAL IN PLASMA DISPLAY PANEL

U.S. Patent and Trademark Office
220 20th Street S
Customer Window, Mail Stop Amendment
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application. .

- ☒ No additional fee is required.
☒ Also attached: Replacement Sheets for Figs. 4, 5 and 7

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	10	20	0	x \$18 =	\$
Independent Claims	3	3	0	x \$88=	\$
If multiple claims newly presented, add \$290.00					
Fee for extension of time					
TOTAL FEE DUE					\$

- ☐ Please charge my Deposit Account No. 16-0607 in the amount of \$____. An additional copy of this transmittal sheet is submitted herewith.
- ☐ A check in the amount of \$_____ (Check #_____) is attached.
- ☒ The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

Respectfully submitted,
FLESHNER & KIM, LLP

Carl R. Wesolowski

Carl R. Wesolowski
Registration No. 40,372

P.O. Box 221200
Chantilly, VA 20153-1200
(703) 766-3701 DYK/CRW:jld
Date: November 18, 2004

Docket No.:YHK-0108

PATENT



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Confirmation No.: 6996

Byung Soo SONG

Group Art Unit: 2821

Serial No.: 10/612,880

Examiner: Thuy V. Tran

Filed: 7/7/2003

Customer No.: 34610

For: METHOD AND APPARATUS OF PROCESSING VIDEO SIGNAL IN PLASMA
DISPLAY PANEL

AMENDMENT

U.S. Patent and Trademark Office
220 20th Street S.
Customer Window, Mail Stop Amendment
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202

Sir:

In response to the Office Action of August 20, 2004, please amend the above-identified application as follows:

Amendments to the Abstract are reflected on page 2 of this paper.

Amendments to the Drawings begin on page 3 of this paper and include both an attached replacement sheet and an annotated sheet showing changes.

Amendments to the Specification begin on page 4 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 5 of this paper.

Remarks/Arguments begin on page 10 of this paper.